

## Referenser

1. SCB.2003. *Funktionshindrade 1988-1999*. Hämtat 2010-10-04 från [http://www.scb.se/Pages/PublishingCalendarViewInfo\\_\\_\\_\\_259923.aspx?PublObjId=1836](http://www.scb.se/Pages/PublishingCalendarViewInfo____259923.aspx?PublObjId=1836)
2. A. Philipsson, Landstinget Gävleborg, personlig kommunikation 2010-11-01.
3. Statens folkhälsoinstitut. 2009. *Tobak och avvänjning*. R 2009:17. Östersund:2009.
4. Prochaska JJ, Rossi JS, Redding CA, Rosen AB, Tsoh JY, Humfleet GL, Eisendrath SJ, Meisner MR, Hall SM. (2004a) Depressed smokers and stage of change: implications for treatment interventions. *Drug Alcohol Depend*. 2004 Nov 11;76(2):143-51.
5. Mann-Wrobel MC, Bennett ME, Weiner EE, Buchanan RW, Ball MP. Smoking history and motivation to quit in smokers with schizophrenia in a smoking cessation program. *Schizophr Res*. 2010 Nov 25. [Epub ahead of print]
6. Colton C. W., Manderscheid R. W. Congruencies in increased mortality rates, years of potential life lost, and causes of death among public mental health clients in eight states. *Prev Chronic Dis* 2006; 3: A42.
7. Miller B. J., Paschall C. B. III, Svendsen D. P. Mortality and medical comorbidity among patients with serious mental illness. *Psychiatr Serv* 2006; 57: 1482-7.
8. Hennekens CH, Hennekens AR, Hollar D, Casey DE. Schizophrenia and increased risks of cardiovascular disease. *Am Heart J*. 2005 Dec;150(6):1115-21. Review.
9. Champion J, Checinski K, Nurse J & McNeill A. (2008b). Smoking by people with mental illness and benefits of smoke-free mental health services. *Advances in Psychiatric Treatment* (2008), vol 14, 217-228.
10. Socialstyrelsen. 2010. *Inkomster och utgifter för vissa personer 20-64 år med funktionsnedsättningar* - Specialbearbetning av SCB:s undersökning HEK. [www.socialstyrelsen.se](http://www.socialstyrelsen.se).
11. McClure JB, Swan GE, Catz SL, Jack L, Javitz H, McAfee T, Deprey M, Richards J, Zbikowski SM. Smoking outcome by psychiatric history after behavioral and varenicline treatment. *J Subst Abuse Treat*. 2010 Jun;38(4):394-402. Epub 2010 Apr 2.

12. Tsoi DT, Porwal M, Webster AC. Interventions for smoking cessation and reduction in individuals with schizophrenia. *Cochrane Database of Systematic Reviews* 2010, Issue 6. Art. No.: CD007253. DOI: 10.1002/14651858.CD007253.pub2.
13. Hitsman B, Moss TG, Montoya ID, George TP. Treatment of tobacco dependence in mental health and addictive disorders. *Can J Psychiatry*. 2009 Jun;54(6):368-78.
14. Baker A, Richmond R, Lewin TJ, Kay-Lambkin F. Cigarette smoking and psychosis: naturalistic follow up 4 years after an intervention trial. *Aust N Z J Psychiatry*. 2010 Apr;44(4):342-50
15. Banham L, Gilbody S. Smoking cessation in severe mental illness: what works? *Addiction*. 2010 Jul;105(7):1176-89. Epub 2010 May 11.
16. Baker A, Richmond R, Haile M, Lewin TJ, Carr VJ, Taylor RL, Jansons S, Wilhelm K. 2006. A Randomized Controlled Trial of a Smoking Cessation intervention Among People With a Psychotic Disorder. 2006. *Am J Psychiatry* 163 (11); 1934-42.
17. Evins AE, Cather C, Deckersbach T, Freudenreich O, Culhane MA, Olm-Shipman CM, Henderson DC, Schoenfeld DA, Goff DC, Rigotti NA. A double-blind placebo-controlled trial of bupropion sustained-release for smoking cessation in schizophrenia. *J Clin Psychopharmacol*. 2005 Jun;25(3):218-25.
18. George TP, Vessicchio JC, Termine A, Bregartner TA, Feingold A, Rounsaville BJ, Kosten TR. A placebo controlled trial of bupropion for smoking cessation in schizophrenia. *Biol Psychiatry*. 2002 Jul 1;52(1):53-61.
19. Torres LD, Barrera AZ, Delucchi K, Penilla C, Pérez-Stable EJ, Muñoz RF. Quitting smoking does not increase the risk of major depressive episodes among users of Internet smoking cessation interventions. *Psychol Med*. 2010 Mar;40(3):441-9. Epub 2009 Jul 23.
20. McClure JB, Swan GE, Jack L, et al. Mood, side-effects and smoking outcomes among persons with and without probable lifetime depression taking varenicline. *J Gen Intern Med* 2009;24:563-9.
21. Hall, SM, Tsoh JY, Prochaska JJ, Eisendrath S, Rossi JS, Redding CA, Rosen AB, Meisner M, Humfleet GL, Gorecki JA. 2006. Treatment for Cigarette Smoking among Depressed Mental Health Outpatients: A Randomized Clinical Trial. *American Journal of Public Health*. 96(10);1808-14.

22. Hughes JR. (2007). Depression during tobacco abstinence. *Nicotine Tob Res.* 2007 Apr; 9(4): 443-6. Review.
23. Piper ME, Cook JW, Schlam TR, Jorenby DE, Baker TB. Anxiety diagnoses in smokers seeking cessation treatment: relations with tobacco dependence, withdrawal, outcome and response to treatment. *Addiction.* 2010 Oct 25.
24. West.R, Hajek.P. What happens to anxiety levels on giving up smoking? *Am J Psychiatry;* 1997; 154: 1589-92.
25. Olivier D, Lubman DI, Fraser R. Tobacco smoking within psychiatric inpatient settings: biopsychosocial perspective. *Aust N Z J Psychiatry.* 2007 Jul; 41(7): 572-80.
26. Bondolfi G, Morel F, Crettol S, Rachid F, Baumann P, Eap CB. Increased clozapine plasma concentrations and side effects induced by smoking cessation in 2 CYP1A2 genotyped patients. *Ther Drug Monit.* 2005 Aug; 27(4): 539-43.
27. Jessen N, Klinisk Farmakologisk Enhed, Århus Universitetshospital, personlig kommunikation 2009-12-14
28. Meyer JM. Individual changes in clozapine levels after smoking cessation: results and a predictive model. *J Clin Psychopharmacol.* 2001 Dec; 21(6): 569-74.
29. Moss TG, Weinberger AH, Vessicchio JC, Mancuso V, Cushing SJ, Pett M, Kitchen K, Selby P, George TP. A tobacco reconceptualization in psychiatry: toward the development of tobacco-free psychiatric facilities. *Am J Addict.* 2010 Jul-Aug; 19(4): 293-311.
30. Champion J, Checinski K & Nurse J. (2008). Review of smoking cessation treatments for people with mental illness. *Advances in Psychiatric Treatment* (2008), vol 14, 208-216.
31. Champion J, Checinski K, Nurse J & McNeill A. (2008). Smoking by people with mental illness and benefits of smoke-free mental health services. *Advances in Psychiatric Treatment* (2008), vol 14, 217-228.
32. Sveriges Kommuner och Landsting. Tobaksavvänjning i hälso- och sjukvården. Ledningens roll och koll. Ännu bättre cancervård. Enkätredovisning. Rapport 2011.
33. Statens folkhälsoinstitut. 2010. *På väg mot ett tobaksfritt landsting.* R 2010:02. Östersund: 2010.

