

Referenser Jill Taube

1. Farsoter och andra folksjukdomar. Deras behandling och förebyggande. Helsingfors 1925. Aikain vartija. Förlagsavdelning.
Br J Sports Med 2009;43:1-2
Warm up, Physical inactivity: the biggest public health problem of the 21st century
Steven N Blair
2. Global health risks. Mortality and burden of disease attributable to selected major risks. Geneva: World Health Organization 2009.
3. Global burden of disease. Geneva: World Health Organization 2004, Update.
4. Circulation. 2011 Dec
Long-term effects of changes in cardiorespiratory fitness and body mass index on all-cause and cardiovascular disease mortality in men: the aerobics center longitudinal study.
Lee DC et al
5. Acta Psychiatr Scand Suppl. 1994
Physical activity and personal characteristics associated with depression and suicide in American college men.
Paffenbarger et al.
6. Kropp og sinn. Egil W Martinsen. Fagboksforlaget 2005.
7. Prev Med. 1988 Jan;17(1):35-47.
Physical activity and mental health in the United States and Canada: evidence from four population surveys.
Stephens T.
8. Public Health Nurs. 2008 Nov-Dec;25(6):536-45.
Physical activity and depressive symptoms among Norwegian adults aged 20-50.
Augestad LB, Slettemoen RP, Flanders WD.
9. J Psychiatr Res. 2009
Prospective study of cardiorespiratory fitness and depressive symptoms in women and men.
Sui X et al
10. Blumenthal, A. "Effects of exercise training on older patients with major depression." Archives of internal medicine 159.19: 2349-56 (156 deprimerade)
11. Babyak, M. "Exercise treatment for major depression: maintenance of therapeutic benefit at 10 months."

- Psychosomatic medicine 62.5 (2000): 633-8.
12. Blumenthal, James A A. "Exercise and pharmacotherapy in the treatment of major depressive disorder." *Psychosomatic medicine* 69.7 (2007): 587-96.
 13. *Psychosom Med.* 2011 Feb-Mar
Exercise and pharmacotherapy in patients with major depression: one-year follow-up of the SMILE study.
 14. *J Clin Psychiatry.* 2011 May
Exercise as an augmentation treatment for nonremitted major depressive disorder: a randomized, parallel dose comparison.
Trivedi MH.
 15. *Cochrane Database Syst Rev.* 2009 Jul
Exercise for depression.
Mead GE, Morley W, Campbell P, Greig CA, McMurdo M, Lawlor DA
 16. *Sports Med* 2009; 39 (6): 491-511 REVIEW ARTICLE
The Antidepressive Effects of Exercise A Meta-Analysis of Randomized Trials
Chad D. Rethorst, Bradley M. Wipfli and Daniel M. Landers
 17. *Med Sci Sports Exerc.* 2009;
Katzmarzyk PT, Church TS, Craig CL, Bouchard C. Sitting time and mortality from all -causes, cardiovascular disease, and cancer.
 18. *Br J Sports Med.* 2011 Sep
Physical activity and mental health in children and adolescents: a review of reviews.
Biddle SJ, Asare M.
 19. *Br Med J (Clin Res Ed).* 1985 July 13
Effects of aerobic exercise on depression: a controlled study.
E W Martinsen, A Medhus, and L Sandvik
 20. *J of Aff Disorder*, 103 (2007)
Depression-anxiety relationships with chronic physical conditions: results from the World Mental Health Survey
K M Scott
 21. Swedish clinical guidelines--prevention and management of metabolic risk in patients with severe psychiatric disorders.
Gotheffors D, Adolfsson R, Attvall S, Erlinge D, Jarbin H, Lindström K, von Hausswolff-Juhlin YL, Morgell R, Toft E, Osby U; Swedish Psychiatric Association.
Nord J Psychiatry. 2010 Oct

22. Nationella riktlinjer för vård vid depression och ångestsyndrom, 2010. Socialstyrelsen.
23. Nationella riktlinjer för sjukdomsförebyggande metoder, 2011. Socialstyrelsen.
24. Lena Kallings avhandling om FaR.: Physical activity on prescription. KI 2008.
25. Matti Leijons avhandling om FaR: Activating people. Linköping University 2009.
26. Psykiatri och fysisk aktivitet 2009. En rapport om klinisk praktik, attityder och kunskap. Jennysdotter Olofsgård, Taube. Rapport, Stockholms Läns Landsting.
27. Stolthet och fördom-möte med psykiatrin idag. Östby, Norin, Andersson. Bok tryckt av psykiatriska kliniken i Skellefteå.
28. Nord J Psychiatry. 2008
Physical health--a cluster randomized controlled lifestyle intervention among persons with a psychiatric disability and their staff.
Forsberg KA, Björkman T, Sandman PO, Sandlund M.