

Referenser "Diagnostik behöver inkludera kulturell variation".  
SP nr 1 2009

## Referenser

- Al Saffar, S., Borgå., P., & Hellström, T. (2004) The influence of the patients' ethnicity, socio-demographic conditions and strain on psychiatric diagnosis given at an outpatient clinic. *Nordic Journal of Psychiatry*, 8: 421-427.
- APA (2003). *Diagnostic and Statistical Manual of Mental Disorder*, (4th edn.) Text Revision. Washington, DC: American Psychiatric Association.
- Bäärnhielm, S. (2008). Introducing the Cultural Formulation to Mental Health Care in Stockholm, Sweden. (sid. 195-201). I Mezzich, J.E., & Caracci, G. (2008). *Cultural Formulation: A Reader for Psychiatric Diagnosis*. USA, Maryland: Rowman & Littlefield Publishers, Inc.
- Bäärnhielm, S., Scarpinati Rosso, M., & Patty, L. (2007). *Kultur, kontext och psykiatrisk diagnostik. Manual för intervju enligt kulturformuleringen i DSM-IV*. Stockholm: Transkulturellt Centrum, Stockholms läns landsting
- Bäärnhielm, S., & Scarpinati Rosso, M. (i tryck). The Cultural Formulation – a Model to Combine Nosology and Patients' Life Context in Psychiatric Diagnosing. *Transcultural Psychiatry*.
- Cantor-Graae, E., Selten, J-P. (2005). Schizophrenia and Migration: A Meta-Analysis and Review. *American Journal of Psychiatry*, 162: 12-24.
- Dalman, C. (2007). Personlig kommunikation, Epidemiology, Centre for Public Health, Forum.

- Hjern, A., Wicks, S., & Dalman, C. (2004). Social adversity contributes to high morbidity in psychosis in immigrants – a national cohort study in two generations of Swedish residents. *Psychological Medicine*, 34, 1025-1033.
- Johansssoon, K. (2001). *Nostalgia. En känslas historia*. Bonnier essä.
- Kirmayer, L.J., Thombs, B.D., Jurcik.T., Jarvis. E.G., & Guzder, J. (2008). Use of an Expanded Version of the DSM-IV Outline for Cultural Formulation on a Cultural Consultation Service. *Psychiatric Service*, 59(6), 683-686.
- Kleinman, A. (1977). Depression, somatization, and the "new cross-cultural psychiatry". *Social Science and Medicine*, 11, 3–10.
- Linné, C. *Genera morborum (sjukdomsgrupperna)*. 1949. Ekenäs: Ekenäs Tryckeri Aktiebolag.
- Mezzich, J.M., Berganza, C.E, Angeles Ruiperez, M. (2001). Culture in DSM-IV, ICD-10, and evolving diagnostic systems. *The Psychiatric Clinics of North America*: 24(3); 407-418.
- Mezzich, J.E., & Caracci, G. (2008). *Cultural Formulation: A Reader for Psychiatric Diagnosis*. USA, Maryland: Rowman & Littlefield Publishers, Inc.
- Mezzich, J. E., Caracci, G., Fabrega, H., Jr., & Kirmayer, L. J. (i tryck). Cultural formulation guidelines. *Transcultural Psychiatry*.
- Mezzich, J.E., Kirmayer, L.J, Kleinman, A., Fabrega, H., Parron, D.L., Good, B.J., Lin, K-M., & Manson, S.M. (1999). The place of Culture in DSM-IV. *The Journal of Nervous and Mental Disease*, 187(8), 457-464.

Mezzich, J.E., & Salloum, I. (2007). Towards innovative international classification and diagnostic systems: ICD-11 and person-centered integrative diagnosis (Editorial). *Acta Psychiatr Scand*, 116;1-5.

Nichter, M. (1981). Idioms of distress: Alternatives in the expression of psychosocial distress: a case study from south India. *Culture, Medicine and Psychiatry*, 5, 379-408.

Omérov S. (2003). *Kortfattad sammanställning av resultatet av en liten djupdykning i databasen på S:t Görans sjukhus* (in Swedish). Norra Stockholms psykiatri.

Summerfield, D. (2008). How scientifically valid is the knowledge base of global mental health? *BMJ*, (336), 992-336.

Zolkowska K., Cantor-Graae, E., & McNeil, T.F. (2001). Increased rates of psychosis among immigrants to Sweden: is migration a risk factor for psychosis? *Psychological Medicine*, 31, 669-678.